VOL. 647, NOS. 1 + 2 JOURNAL OF CHROMATOGRAPHY SEPTEMBER 10, 1993

CONTENTS

9TH MONTREUX SYMPOSIUM ON LIQUID CHROMATOGRAPHY–MASS SPECTROMETRY, SUPERCRITICAL FLUID CHROMATOGRAPHY–MASS SPECTROMETRY, CAPILLARY ZONE ELECTROPHORESIS–MASS SPECTROMETRY AND TANDEM MASS SPECTROMETRY, MONTREUX, NOVEMBER 4–6, 1992

Foreword
by J. van der Greef (Leiden, Netherlands) 1

LC–MS

Technical aspects

Peptide mapping of recombinant human interferon-γ by reversed-phase liquid chromatography with on-line identification by thermospray mass spectrometry and UV absorption spectrometry
by R. Legrand, J.-B. Falconnet, D. Prevost, B. Schoot and P. Devaux (Romainville, France) 3

Evaluation of the performance of capillary liquid chromatography–fast atom bombardment mass spectrometry systems with precolumn addition of glycerol as a viscous matrix
by J.P. Gagné, A. Carrier, L. Varfalvy and M.J. Bertrand (Montreal, Canada) 13

Origin of the decrease in chromatographic resolution induced by the addition of viscous matrices in liquid chromatographic–fast atom bombardment mass spectrometric systems
by J.P. Gagné, A. Carrier, L. Varfalvy and M.J. Bertrand (Montreal, Canada) 21

Deuterium oxide as a reagent for the modification of mass spectra in electrospray microcolumn liquid chromatography–mass spectrometry
by K.-E. Karlsson (Mölndal, Sweden) 31

Radiofrequency-only daughter scan mode to provide more spectral information in liquid chromatography–thermospray tandem mass spectrometry
by P.G.M. Kienhuis (Lelystad, Netherlands) 39

Ion spray mass spectrometric detection for liquid chromatography: a concentration- or a mass-flow-sensitive device?
by G. Hopfgartner, K. Bean and J. Henion (Ithaca, NY, USA) and R. Henry (Bellefonte, PA, USA) 51

New ionization strategies in particle-beam liquid chromatography–mass spectrometry based on the principle of surface ionization
by A.P. Tinke, R.A.M. van der Hoeven, W.M.A. Niessen, U.R. Tjaden and J. van der Greef (Leiden, Netherlands) 63

Applications of dual-beam thermospray liquid chromatography–mass spectrometry
by W.J.L. Genuit and J. de Boer (Amsterdam, Netherlands) 73

Applications

Particle beam liquid chromatography–mass spectrometry behaviour of polynuclear metal carbonyl compounds
by M. Careri, A. Mangia, P. Manini and G. Predieri (Parma, Italy), V. Raverdino and G. Tsoupras (Meyrin, Switzerland) and E. Sappa (Turin, Italy) 79

Characterization of the products formed in the reaction between 1,3-butadienemonoxide and 2′-deoxyadenosine by liquid chromatography–continuous-flow fast atom bombardment mass spectrometry
by R. Kostiainen, P. Koivisto and K. Peltonen (Helsinki, Finland) 91

Organic acid analysis by ion chromatography–particle beam mass spectrometry
by J.N. Alexander, IV and C.J. Quinn (Spring House, PA, USA) 95

Application of particle-beam mass spectrometry to drugs. An examination of the parameters affecting sensitivity
by P.R. Tiller (Greenford, UK) 101

Liquid chromatography–mass spectrometry for the identification of minor components in benzothiazole derivatives
by W.M.A. Niessen (Leiden, Netherlands), C.C. McCarney and P.E.G. Moult (Louvain-la-Neuve, Belgium), U.R. Tjaden (Leiden, Netherlands) and J. van der Greef (Zeist and Leiden, Netherlands) 107

On-line low-level screening of polar pesticides in drinking and surface waters by liquid chromatography–thermospray mass spectrometry
by H. Bagheri, E.R. Brouwer, R.T. Ghijsen and U.A.Th. Brinkman (Amsterdam, Netherlands) 121

Volatile ion-pairing agents for liquid chromatographic–thermospray mass spectrometric determination of amino acids and amino acid amides
by R.G.J. van Leuken, G.T.C. Kwakkenbos and A.L.L. Duchateau (Geleen, Netherlands) 131

Determination of saponins in crude plant extracts by liquid chromatography–thermospray mass spectrometry
by M.P. Maillard and K. Hostettmann (Lausanne, Switzerland) 137

Use of liquid chromatography–thermospray mass spectrometry in phytochemical analysis of crude plant extracts
by M.P. Maillard, J.-L. Wolfender and K. Hostettmann (Lausanne, Switzerland) 147

Investigation into lacidipine and related metabolites by high-performance liquid chromatography–mass spectrometry
by P. Rossato, M. Scandola and P. Grossi (Verona, Italy) 155

Determination of penicillin G, ampicillin, amoxicillin, cloxacillin and cephapirin by high-performance liquid chromatography–electrospray mass spectrometry
by R.F. Straub and R.D. Voyksner (Research Triangle Park, NC, USA) 167

Thermospray liquid chromatographic–mass spectrometric analysis of crude plant extracts containing phenolic and terpene glycosides
by J.L. Wolfender, M. Maillard and K. Hostettmann (Lausanne, Switzerland) 183

Liquid chromatographic–UV detection and liquid chromatographic–thermospray mass spectrometric analysis of *Chironia* (Gentianaceae) species. Rapid method for the screening of polyphenols in crude plant extracts
by J.L. Wolfender and K. Hostettmann (Lausanne, Switzerland) 191

Determination of mesocarb metabolites by high-performance liquid chromatography with UV detection and with mass spectrometry using a particle-beam interface
by R. Ventura, T. Nadal, P. Alcalde and J. Segura (Barcelona, Spain) 203

Evaluation of liquid chromatography–thermospray mass spectrometry in the determination of some phenylglycidyl ether–2′-deoxynucleoside adducts
by F. Lemière (Antwerp, Belgium), E.L. Esmans (Wilrijk, Belgium), W. Van Dongen (Antwerp, Belgium), E. Van den Eeckhout (Ghent, Belgium) and H. Van Onckelen (Wilrijk, Belgium) 211

Surfactants: non-biodegradable, significant pollutants in sewage treatment plant effluents. Separation, identification and determination by liquid chromatography, flow-injection analysis–mass spectrometry and tandem mass spectrometry
by H.F. Schröder (Aachen, Germany) 219

Thermospray mass spectral studies of pesticides. Temperature and salt concentration effects on the ion abundances in thermospray mass spectra
by D. Volmer, A. Preiss, K. Levsen and G. Wünsch (Hannover, Germany) 235

Development of a high-performance liquid chromatographic–mass spectrometric technique, with an ionspray interface, for the determination of platelet-activating factor (PAF) and lyso-PAF in biological samples
by L. Silvestro and R. Da Col (Turin, Italy), E. Scappaticci and D. Libertucci (Turin, Italy) and L. Biancone and G. Camussi (Naples, Italy) 261

Determination of quaternary amine pesticides by thermospray mass spectrometry
by D. Barceló and G. Durand (Barcelona, Spain) and R.J. Vreeken (Lausanne, Switzerland) 271

Electrospray mass spectrometry of neutral and acidic oligosaccharides: methylated cyclodextrins and identification of unknowns derived from fruit material
by A.P. Tinke, R.A.M. van der Hoeven, W.M.A. Niessen and J. van der Greef (Leiden, Netherlands) and J.-P. Vincken and H.A. Schols (Wageningen, Netherlands) 279

Characterization of the chemical structure of sulphated glycosaminoglycans after enzymatic digestion. Application of liquid chromatography–mass spectrometry with an atmospheric pressure interface
by R. Da Col and L. Silvestro (Turin, Italy), A. Naggi and G. Torri (Milan, Italy), C. Baiocchi (Turin, Italy), D. Moltrasio and A. Cedro (Villaguardia, Italy) and I. Viano (Turin, Italy) 289

Rapid analysis of enzymatic digests of a bacterial protease of the subtilisin type and a "bio-engineered" variant by high-performance liquid chromatography–frit fast atom bombardment mass spectrometry
by W.D. van Dongen and C. Versluis (Utrecht, Netherlands), P.D. van Wassenaar (Vlaardingen, Netherlands) and C.G. de Koster, W. Heerma and J. Haverkamp (Utrecht, Netherlands) 301

Application of liquid chromatography–thermospray mass spectrometry to the analysis of polyester oligomers
by A. Guarini, G. Guglielmetti and R. Po (Novara, Italy) 311

Recent progress in high-performance anion-exchange chromatography–thermospray mass spectrometry of oligosaccharides
by W.M.A. Niessen, R.A.M. van der Hoeven and J. van der Greef (Leiden, Netherlands), H.A. Schols and A.G.J. Voragen (Wageningen, Netherlands) and C. Bruggink (Breda, Netherlands) 319

OTHER COMBINATIONS WITH MS

Fast screening method for eight phenoxyacid herbicides and bentazone in water. Optimization procedures for flow-injection analysis–thermospray tandem mass spectrometry
by R.B. Geerdink and P.G.M. Kienhuis (Leylstad, Netherlands) and U.A.Th. Brinkman (Amsterdam, Netherlands) 329

Determination of chlorinated pesticides by capillary supercritical fluid chromatography–mass spectrometry with positive and negative-ion detection
by A. Jablonska and M. Hansen (Oslo, Norway), D. Ekeberg (Ås, Norway) and E. Lundanes (Oslo, Norway) 341

Packed-column supercritical fluid chromatography coupled with electrospray ionization mass spectrometry
by F. Sadoun and H. Virelizier (Gif-sur-Yvette, France) and P.J. Arpino (Paris, France) 351

Capillary zone electrophoresis–ionspray mass spectrometry of a synthetic drug–protein conjugate mixture
by R. Kostiainen, E.J.F. Franssen and A.P. Bruins (Groningen, Netherlands) 361

Off-line coupling of capillary electrophoresis with matrix-assisted laser desorption mass spectrometry
by P.A. van Veelen and U.R. Tjaden (Leiden, Netherlands), J. van der Greef (Zeist and Leiden, Netherlands) and A. Ingendoh and F. Hillenkamp (Münster, Germany) 367

Pseudo-electrochromatography–negative-ion electrospray mass spectrometry of aromatic glucuronides and food colours
by M. Hugener, A.P. Tinke, W.M.A. Niessen, U.R. Tjaden and J. van der Greef (Leiden, Netherlands) 375

AUTHOR INDEX 387